



# INTERIOR DOOR COLLECTION


[www.francisschulze.com](http://www.francisschulze.com)




## PRIMED PANEL DOORS




8401




8402




8403



8433




8444



8405


## PRIMED BIFOLD DOORS



8401BF



8402BF



8403BF



8433BF



8444BF



8405BF

## BARN DOORS



PRI8401B



PRI8401BZ



PRI8401BK



SKA8401B



SKA8401BZ



SKA8402BK



## PRIMED LOUVER DOORS



8730



8730BF

## PRIMED PANEL & GLAZED DOORS

Thickness: 1-3/8" or 1-3/4"  
(20 Minute)

Widths: 1/6\*, 1/8\*, 1/10\*, 2/0\*,  
2/2\*, 2/4\*, 2/6, 2/8, 2/10\*, 3/0

Height: 6/8 & 8/0\*

Panels: 1/2" Flat Panel or  
3/4" Flat Panel (20 Minute)

Door Stiles: 4-7/16"

Top Rail: 4-5/16"

Cross Rails: 4-3/8"

Lock Rail: 7-3/8"

Door Bottom Rail: 9-3/8"

Warranty: 5 years

NOTE : Primed Panel Doors  
available in 20 Minute (10" bottom  
rail)

## BARN DOORS

Thickness: 1-3/8"

Widths: 3/0\* & 3/6


Height: 7/0 & 8/0\*

\*Not available in all styles




Shaker Panel  
Partical Board

## PRIMED PRE-GLAZED DOORS



NOTE: 8400 Series - all shaker glazed available with clear or diffused white lami glass (DWL) \*6/8 Only




NOTE : 1300 Series - all ovolo glazed available with clear glass

## PRIMED GLAZED DOORS



## Pre-Hung Option

- 3-Knuckle hinge option by Penrod
  - Nylon bearing = no hinge dust or squeaking
- Flat Jamb with applied stop up to 6 9/16" (Stop can be shipped loose)



Flat Jamb



3-Knuckle Hinge

NOTE : Please see our full line interior door catalog for availability and more information.



[www.francisschulze.com](http://www.francisschulze.com)

937.295.3941

[sales@francisschulze.com](mailto:sales@francisschulze.com)